

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A glove box assembly for a vehicle ~~automobiles~~ comprising:
  - a housing selectively mounted in one of ~~the~~ left and right sides of an instrument panel from a ~~driver~~ driver's seat of the vehicle ~~automobile~~;
  - a lid rotatably attached to ~~the~~ a front part of the housing;
  - a knob rotatably fitted in the lid such that the housing is opened or closed by ~~means of~~ the lid; and
  - an identifying member that identifies the knob fitted into the lid, said identifying member configured to ensure that the knob is coupled to an appropriate one of the left side mounted housing and the right side mounted housing.
2. (Original) The glove box assembly as set forth in claim 1, wherein the identifying member comprises:
  - a guide groove formed ~~at the inside of~~ on a portion of the lid; and
  - a guide protrusion formed at on the knob such that the guide protrusion is inserted into the guide groove.

3. (New) A glove box assembly, comprising:
  - a housing selectively mounted to one of a left side and a right side of a vehicle;
  - a lid attached to the housing; and
  - a knob attached to the lid;wherein the lid and the knob have identifying structures, the identifying structures being configured to cooperate in predetermined orientations to prevent mismounting of the knob to the lid.
4. (New) The glove box assembly according to claim 3, wherein the identifying structures comprise:
  - a portion protruding from the knob; and
  - a groove formed on the lid, the groove being configured to identify and receive the protruding portion corresponding to the predetermined orientation.
5. (New) The glove box assembly according to claim 3, wherein the knob is rotatable.
6. (New) The glove box assembly according to claim 3, wherein the knob is attached to a center area of an upper portion of the lid via the identifying structure.

P24619.A03

7. (New) The glove box assembly according to claim 4, wherein the grooves of the two selected lids are on the portion of the lid facing the housing.
8. (New) A glove box assembly selectively mounted on one of a left side and a right side of a vehicle, the glove box assembly comprising:
  - a lid configured to open and close an opening of a housing; and
  - an identifying member that identifies a knob configured to be attached to the lid based on the selected mounting side of the glove box assembly, the identifying member being configured to indicate that the knob is properly attached to the lid.
9. (New) The glove box assembly according to claim 8, wherein both the knob and the lid include a portion of the identifying member.
10. (New) The glove box assembly according to claim 8, wherein the identifying member comprises:
  - a guide portion protruding from the knob; and
  - a guide groove formed on the lid, the guide groove being configured to receive the guide portion.

P24619.A03

11. (New) The glove box assembly according to claim 8, wherein the knob is rotatable.
12. (New) The glove box assembly according to claim 10, wherein the groove is located on the portion of the lid facing the housing.